










2022 PRICE LIST

Enclosures,
Cages &
Landscaping
Supports



Effective March 1, 2022











ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
Heavy Duty Front Entry				
  NEMA 3R Rated	SB-18SS	18" Wide, 36" High, 12" Deep	75 lbs.	\$ 3,188
	SB-18DSS	18" Wide, 36" High, 24" Deep	120 lbs.	\$ 4,760
	SB-1852SS	18" Wide, 52" High, 12" Deep	90 lbs.	\$ 3,855
	SB-24SS	24" Wide, 36" High, 12" Deep	95 lbs.	\$ 3,674
	SB-24DSS	24" Wide, 36" High, 24" Deep	145 lbs.	\$ 5,633
	SB-36SS	36" Wide, 36" High, 12" Deep	138 lbs.	\$ 5,028
Heavy Duty Wall Mount				
  NEMA 3R Rated	SB-16SSW	16" Wide, 18" High, 10" Deep, Wall Mount	35 lbs.*	\$ 2,399
	SB-18SSW	18" Wide, 36" High, 12" Deep, Wall Mount	75 lbs.	\$ 3,188
	SB-24SSW	24" Wide, 36" High, 12" Deep, Wall Mount	95 lbs.	\$ 3,674
	SB-36SSW	36" Wide, 36" High, 12" Deep, Wall Mount	138 lbs.	\$ 5,028
Optional Stainless Steel Pedestals				
	PED-16SS	16" Wide, 12" High, 15.5" Deep	20 lbs.	\$ 929
	PED-18SS	18" Wide, 12" High, 10" Deep	18 lbs.	\$ 891
	PED-18DSS	18" Wide, 12" High, 20" Deep	23 lbs.	\$ 1,324
	PED-24SS	24" Wide, 12" High, 10" Deep	22 lbs.	\$ 1,040
	PED-24SS-240V	24" Wide, 12" High, 10" Deep	30 lbs.	\$ 1,390
	PED-24DSS	24" Wide, 12" High, 20" Deep	26 lbs.	\$ 1,390
	PED-36SS	36" Wide, 12" High, 10" Deep	33 lbs.	\$ 1,317
	PED-16SSW	16" Wide, 4" High, 8" Deep	6 lbs.	\$ 625
	PED-LD16	16.75" Wide, 12" High, 8.25" Deep	18 lbs.	\$ 702
PT-TEMP1852	18" Wide, 9.75" Deep	2 lbs.	\$ 91	
Heavy Duty Top Entry				
  NEMA 3R Rated	SB-16SS	16" Wide, 38" High, 15.5" Deep	80 lbs.	\$ 3,812
	SB-22SS	24" Wide, 38" High, 17" Deep	125 lbs.	\$ 4,873

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.






*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
Light Duty Cabinet				
  NEMA 3R Rated	LD-16S	16.75" Wide, 30" High, 8.25" Deep	43 lbs.*	\$ 1,618
Light Duty Wall Mount				
  NEMA 3R Rated	LD-16SW LD-18SW LD-16T	16.75" Wide, 30" High, 8.25" Deep, Wall Mount 18.5" Wide, 18.5" High, 8" Deep, Wall Mount 16.75" Wide, 18.5" High, 8" Deep, Wall Mount	48 lbs.* 31 lbs.* 25 lbs.*	\$ 1,618 \$ 1,526 \$ 1,525
Enclosure Options				
 CSA	CSA	Controller Subassembly 36 Stations	5 lbs.*	\$ 497
	CSA-52	Controller Subassembly 52 Stations	6 lbs.*	\$ 533
	OPT-FAN	Thermostatically Controlled Fan	4 lbs.*	\$ 431
	RGVRSS	Rain Switch Enclosure	2 lbs.*	\$ 247
	RGVRSS-P	Pole Mount Rain Switch Enclosure	7 lbs.*	\$ 278
	SRSE	Solar Sync Enclosure	1 lbs.*	\$ 214
 OPT-FAN				
 RGVRSS				
 SRSE				

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.

*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
Polar Bearier™ Slip-On Insulating Cover				
A simple way to insulate backflow devices to help prevent freezing. This slip-on insulating cover installs in seconds and removes even quicker for backflow maintenance. Provides R-19 insulation, eyelet installed for padlock.				
	PBB-22	22" Wide, 24" High, 6" Deep	1.2 lbs.	\$ 378
	PBB-30	28" Wide, 24" High, 6" Deep	2.0 lbs.	\$ 479
	PBB-45	46" Wide, 24" High, 6" Deep	3.5 lbs.	\$ 648
	PBB-60	56" Wide, 24" High, 6" Deep	4.5 lbs.	\$ 689
	PBB-20HP	24" Wide, 46" High, 6" Deep	3.5 lbs.	\$ 648
	PBB-40HP	40" Wide, 36" High, 6" Deep	4.5 lbs.	\$ 802
	PBB-60HP	60" Wide, 36" High, 6" Deep	5.2 lbs.	\$ 946
	PBB-75HP	72" Wide, 36" High, 6" Deep	6.0 lbs.	\$1,149
PBB-90HP	90" Wide, 36" High, 6" Deep	7.5 lbs.	\$ 1,279	
Aluminum Backflow Enclosures - Front Entry - One Piece				
	SBBC-22AL	22" Wide, 30" High, 16" Deep	43 lbs.	\$ 1,319
	SBBC-30AL	30" Wide, 30" High, 16" Deep	49 lbs.	\$ 1,526
	SBBC-45AL	45" Wide, 30" High, 16" Deep	62 lbs.	\$ 1,881
	SBBC-52AL	52" Wide, 30" High, 22" Deep	73 lbs.	\$ 3,341
	SBBC-60AL	60" Wide, 30" High, 16" Deep	82 lbs.	\$ 2,727
Aluminum Backflow Enclosures - Clamshell Entry - Two Piece				
	SBBC-40ALHP	40" Wide, 39" High, 24" Deep	88 lbs.	\$ 3,858
	SBBC-60ALHP	60" Wide, 39" High, 24" Deep	118 lbs.	\$ 4,293
	SBBC-75ALHP	75" Wide, 39" High, 24" Deep	128 lbs.	\$ 4,576
	SBBC-90ALHP	90" Wide, 39" High, 24" Deep	158 lbs.	\$ 5,300
Insulated Aluminum Backflow Enclosures - Front Entry - One Piece				
	SBBC-22ALI	22" Wide, 30" High, 16" Deep	44 lbs.	\$ 1,656
	SBBC-30ALI	30" Wide, 30" High, 16" Deep	50 lbs.	\$ 2,050
	SBBC-45ALI	45" Wide, 30" High, 16" Deep	63 lbs.	\$ 2,589
	SBBC-60ALI	60" Wide, 30" High, 16" Deep	88 lbs.	\$ 3,482
Insulated Aluminum Backflow Enclosures - Clamshell Entry - Two Piece				
	SBBC-40ALHPI	40" Wide, 39" High, 24" Deep	90 lbs.	\$ 4,701
	SBBC-60ALHPI	60" Wide, 39" High, 24" Deep	124 lbs.	\$ 5,223
	SBBC-75ALHPI	75" Wide, 39" High, 24" Deep	136 lbs.	\$ 5,546
	SBBC-90ALHPI	90" Wide, 39" High, 24" Deep	166 lbs.	\$ 5,778

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.









*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
Aluminum Pump Enclosures - Clamshell Entry - Two Piece				
	SBBC-40WALHP	40" Wide, 39" High, 28" Deep	95 lbs.	\$ 3,821
	PE-40AL	40" Wide, 39" High, 38" Deep	98 lbs.	\$ 3,944
	PE-60AL	60" Wide, 39" High, 38" Deep	128 lbs.	\$ 4,576
Smooth Touch Backflow Cages - Stainless Steel - Front Entry				
	SBBC-22SS	23.5" Wide, 28" High, 17.75" Deep	44 lbs.	\$ 2,519
	SBBC-30SS	31.5" Wide, 28" High, 17.75" Deep	53 lbs.	\$ 2,909
	SBBC-45SS	46.5" Wide, 28" High, 17.75" Deep	61 lbs.	\$ 3,741
	SBBC-20SS	20" Wide, 46.5" High, 17.75" Deep	62 lbs.	\$ 3,738
Smooth Touch Backflow Cages - Stainless Steel - Clamshell Entry				
	SBBC-40SS	40" Wide, 39" High, 25.5" Deep	90 lbs.	\$ 5,748
	SBBC-60SS	60" Wide, 39" High, 25.5" Deep	111 lbs.	\$ 6,771
	SBBC-75SS	76.5" Wide, 39" High, 25.5" Deep	120 lbs.	\$ 7,954
Smooth Touch Backflow Cages - Cold Rolled Steel - Front Entry				
	SBBC-22CR	23.5" Wide, 28" High, 17.75" Deep	44 lbs.	\$ 1,430
	SBBC-30CR	31.5" Wide, 28" High, 17.75" Deep	53 lbs.	\$ 1,618
	SBBC-45CR	46.5" Wide, 28" High, 17.75" Deep	61 lbs.	\$ 2,113
Smooth Touch Backflow Cages - Cold Rolled Steel - Clamshell Entry				
	SBBC-40CR	40" Wide, 39" High, 25.5" Deep	90 lbs.	\$ 3,469
	SBBC-60CR	60" Wide, 39" High, 25.5" Deep	111 lbs.	\$ 4,287
	SBBC-75CR	76.5" Wide, 39" High, 25.5" Deep	120 lbs.	\$ 4,973
Expanded Metal Backflow Cages - Low Profile - One Piece				
	BC-30 CR	30" Wide, 25.5" High, 12" Deep	45 lbs.	\$ 1,326
	BC-45CR	45" Wide, 31.5" High, 18" Deep	73 lbs.	\$ 1,635
Expanded Metal Backflow Cages - High Profile - Two Piece				
	BC-75CR	75" Wide, 43.5" High, 30" Deep	160 lbs.	\$ 2,732

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.

*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
Stainless Steel Service Pedestal - 18" Wide, 52" High, 20" Deep				
  NEMA 3R Rated	MPS-A16-10K	100 amp meter/100 amp load center 17 pos. with main, 1 phase	210 lbs.	\$ 6,496
	MPS-C20-22K	200 amp meter/200 amp load center 20 pos. with main, 1 phase	210 lbs.	\$ 8,058
	MPS-E24-10K	200 amp meter/200 amp load center 24 pos. with main, 3 phase	210 lbs.	\$ 9,975
	MPS-BASE	MPS mounting template 4 bolt	8 lbs.	\$ 159
Stainless Steel Service Pedestal with Enclosure and Base - 18" Wide, 52" High, 32" Deep				
  NEMA 3R Rated	MPE-A16-10K	100 amp meter/100 amp load center 16 pos. with main, 1 phase with enclosure	310 lbs.	\$ 10,517
	MPE-C20-22K	200 amp meter/200 amp load center 20 pos. with main, 1 phase with enclosure	310 lbs.	\$ 12,078
	MPE-E24-10K	200 amp meter/200 amp load center 24 pos. with main, 3 phase with enclosure	310 lbs.	\$ 13,994
	MPE-BASE	Dual mounting template 8 bolt	10 lbs.	\$ 166
Commercial Service Pedestal - 16" Wide, 48" High, 16.25" Deep				
  NEMA 3R Rated	CSP-B108-10K	100 amp, 8 circuit breakers, 1 phase	140 lbs.	\$ 4,606
	CSP-B116-10K	100 amp, 16 circuit breakers, 1 phase	140 lbs.	\$ 4,740
	CSP-B116-100K	100 amp, 16 circuit breakers, 1 phase	140 lbs.	\$ 4,942
	CSP-B216-22K	200 amp, 16 circuit breakers, 1 phase	140 lbs.	\$ 5,421
	CSP-B BASE	CSP-B mounting template 4 bolt	8 lbs.	\$ 160
Metered Stainless Steel Enclosure				
  NEMA 3R Rated	SB-24SS-240V	24" Wide, 48" High, 29" Deep with 240 Volt Meter Socket Not available for use in California	250 lbs.	\$ 8,312

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.





*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	WEIGHT	PRICE
QuickPad® for StrongBox Enclosures				
	QP-16	For SB-16 28.5" Wide, 18.5" Deep	37 lbs.	\$ 739
	QP-18	For SB-18 28.5" Wide, 18.5" Deep	37 lbs.	\$ 739
	QP-18D	For SB-18D 28.5" Wide, 28.5" Deep	42 lbs.	\$ 874
	QP-22	For SB-22 28.5" Wide, 28.5" Deep	42 lbs.	\$ 874
	QP-24	For SB-24 28.5" Wide, 18.5" Deep	37 lbs.	\$ 739
	QP-24D	For SB-24D 28.5" Wide, 28.5" Deep	42 lbs.	\$ 874
	QP-LD16	For LD-16 20" Wide, 17" Deep	17 lbs.	\$ 553
	QP-M	For Metered Enclosure 28.5" Wide, 28.5" Deep	42 lbs.	\$ 874
	QP-CSP	For CSP-B Pedestal 28.5" Wide, 18.5" Deep	37 lbs.	\$ 739
	QP-MPS	For MPS Pedestal 32" Wide, 25" Deep	51 lbs.	\$ 874
	QP-MPE	For MPE Pedestal 32" Wide, 25" Deep	51 lbs.	\$ 960
QuickPad® for Backflow Enclosures				
	QP-20BF	For SBBC-20 Series 32" Wide, 19" Deep	37 lbs.	\$ 739
	QP-22BF	For SBBC-22 Series 28.5" Wide, 19" Deep	37 lbs.	\$ 739
	QP-30BF	For SBBC-30 Series 32" Wide, 19" Deep	37 lbs.	\$ 739
	QP-45BF	For SBBC-45 Series 49" Wide, 19" Deep	42 lbs.	\$ 802

TERMS OF SALE NET 30 DAYS F.O.B. FACTORY RESTOCK CHARGE ON AUTHORIZED RETURNS.

NOTE: Prices Include Mounting Hardware. Freight Prepaid on \$7500. net orders to one location.

*CAN BE SHIPPED UPS

ITEM	PART NO.	DESCRIPTION	BUNDLE QTY.	BOX QTY.	BOX WGT.	PRICE
	PS 18	<p>18" Pipe Stabilizer Used between sprinkler heads to control the movement of the pipe. The vinyl covered double "J" secures pipe to ground. The vertical striking area provides good penetration even in tough soils while minimizing above ground exposure and damage to J hook.</p>	5	30	46 lbs.	\$8.80
	SS 24	<p>24" Sprinkler Stabilizer used to secure pipe and sprinkler heads to prevent movement, vandalism and damage. The vinyl covered double "J" secures the pipe to the ground and the steel shaft at the top gives the sprinkler head additional support. Allows good penetration even in tough soils.</p>	5	20	35 lbs.	\$10.50
<p>Sprinkler Ties Used to secure the sprinkler to the Sprinkler Stabilizer. The unique design allows fast installation and produces a strong bond between the stake and the sprinkler head.</p>						
	ST 9	9" Sprinkler Tie for shrub heads	50	500	13 lbs.	\$0.97
	ST 12	12" Sprinkler Tie for pop-ups	50	500	16 lbs.	\$1.10
	RT	<p>Ratchet Tool Used to install Sprinkler Ties. It twists the Sprinkler Tie tightly against the stake, reducing labor by 50% or more.</p>	1	1	1 lb.	\$91.35

ITEM	PART NO.	DESCRIPTION	BUNDLE QTY.	BOX QTY.	BOX WGT.	PRICE
Cinch Ties Used to effectively single or double stake a tree. Made from strong, flexible vinyl with UV inhibitors.						
	CT 24	24" Cinch-Tie for 15 gal. trees - Adjustable to 9"	100	500	38 lbs.	\$1.05
	CT 32	32" Cinch-Tie for 24" box trees - Adjustable to 13"	100	500	50 lbs.	\$1.40
Twist Braces Used in high wind conditions. Steel loop covered in quality vinyl tubing. Reusable and easy to install.						
	TB 24	24" Twist Brace for 15 gal. - 24" box trees. 4.5" loop	5	25	35 lbs.	\$11.15
	TB 36	36" Twist Brace for 36" box trees. 4.5" loop	5	10	26 lbs.	\$22.35
Hose & Wire Brace						
	HW 36	36" Hose & Wire Brace for 24" box trees - 10.5" Hose. 36" Wire	100	200	65 lb.	\$1.10

LIMITED TRADE WARRANTIES

Stainless Products

StrongBox®, Inc. warrants to its trade customers that its StrongBox® products will be free from original defects in materials and workmanship for a period of ten years from the original date of purchase. It will repair or replace at its discretion, parts found to be defective under normal use and service within the warranty period, upon return of such parts at the trade customer's expense. StrongBox®, Inc. will not be responsible for incidental or consequential damages or for products which have been altered or modified and its liability under this warranty is limited solely to replacement or repair of defective parts. No agent or representative has authority to waive, alter, or add to the printed provisions of this warranty, to make any representation or warranty not contained herein or to extend this warranty to anyone other than the StrongBox® customer. This warranty is given expressly and in place of all other expressed or implied warranties of merchantability and fitness for particular purpose and this warranty is the only warranty made by StrongBox®, Inc. StrongBox®, Inc. cannot and does not assume liability for defective products, or damage caused by defective products, not manufactured or supplied by it, even though such products be used in conjunction with StrongBox® products. StrongBox®, Inc. reserves the right to redesign, alter or modify its products without incurring any liability from anyone's inventory of such parts or products that may be obsolete.

Cold Rolled Steel Products

StrongBox®, Inc. warrants to its trade customers that its StrongBox® products will be free from original defects in materials and workmanship for a period of one year from the original date of purchase. It will repair or replace at its discretion, parts found to be defective under normal use and service within the warranty period, upon return of such parts at the trade customer's expense. StrongBox®, Inc. will not be responsible for incidental or consequential damages or for products which have been altered or modified and its liability under this warranty is limited solely to replacement or repair of defective parts. No agent or representative has authority to waive, alter, or add to the printed provisions of this warranty, to make any representation or warranty not contained herein or to extend this warranty to anyone other than the StrongBox® customer. This warranty is given expressly and in place of all other expressed or implied warranties of merchantability and fitness for particular purpose and this warranty is the only warranty made by StrongBox®, Inc. StrongBox®, Inc. cannot and does not assume liability for defective products, or damage caused by defective products, not manufactured or supplied by it, even though such products be used in conjunction with StrongBox® products. StrongBox®, Inc. reserves the right to redesign, alter or modify its products without incurring any liability from anyone's inventory of such parts or products that may be obsolete.

Aluminum Products

StrongBox®, Inc. warrants to its trade customers that its StrongBox® products will be free from original defects in materials and workmanship for a period of five years from the original date of purchase. It will repair or replace at its discretion, parts found to be defective under normal use and service within the warranty period, upon return of such parts at the trade customer's expense. StrongBox®, Inc. will not be responsible for incidental or consequential damages or for products which have been altered or modified and its liability under this warranty is limited solely to replacement or repair of defective parts. No agent or representative has authority to waive, alter, or add to the printed provisions of this warranty, to make any representation or warranty not contained herein or to extend this warranty to anyone other than the StrongBox® customer. This warranty is given expressly and in place of all other expressed or implied warranties of merchantability and fitness for particular purpose and this warranty is the only warranty made by StrongBox®, Inc. StrongBox®, Inc. cannot and does not assume liability for defective products, or damage caused by defective products, not manufactured or supplied by it, even though such products be used in conjunction with StrongBox® products. StrongBox®, Inc. reserves the right to redesign, alter or modify its products without incurring any liability from anyone's inventory of such parts or products that may be obsolete.

1. All stainless steel enclosures may be powder coated in many colors at an extra charge.
2. All Aluminum enclosures may be powder coated in many colors at an extra charge.
3. Standard colors for powder coated enclosures are dark green and tan.
All other colors are at an extra charge.

STRONGBOX®

2320 Meyers Ave. Escondido, California 92029

Phone: (760) 480-6702

Fax: (760) 480-0211

sales@strongbox.com

www.strongbox.com

AREA REPRESENTATIVES

N. California, N. Nevada Irrigation

JPH Group
(916) 714-0061

N. California, N. Nevada Electrical

Cal Industrial Sales
(925) 371-8125

Southern California- Irrigation

Gentile & Associates
(951) 461-0942

Southern California- Electrical

E.R.I Representatives
(714) 434-9008

Hawaii

Gentile & Associates
(951) 461-0942
(760) 214-5734

Arizona, New Mexico, Southern Nevada

Gentile & Associates
(480) 649-1792

Texas, Oklahoma

O'Neill Dunbar, Inc.
(800) 777-9512

Colorado, Wyoming, Montana

RepMasters, Inc.
(303) 286-7575

Idaho, Utah

Inman Interwest, Inc.
(303) 421-7885
(801) 557-4959

Mid West- Irrigation

Warren Thoma & Associates
(847) 867-5724
(847) 922-5824

Northeast

BluGreen Solutions
(508) 564-4465

Mid-Atlantic- Irrigation

Warren Thoma & Associates
(847) 867-5724
(847) 922-5824

Southeast

Rivers Associates
(803) 932-7737

Florida

El Schneider
(813) 313-6410

Northwest

RG Sales
(509) 225-9453

East Canada

R. Stephen Ross Associates
(585) 458-7599