

## Front Entry Enclosure

|           | "A" Width | Height | Depth |
|-----------|-----------|--------|-------|
| SBBC-22AL | 22"       | 30"    | 16"   |
| SBBC-30AL | 30"       | 30"    | 16"   |
| SBBC-45AL | 45"       | 30"    | 16"   |
| SBBC-52AL | 52"       | 30"    | 22"   |

Note: For inside dimensions, see Backflow Cover Sizing Chart on pages 28-29.

- Marine grade aluminum
- Stainless steel hardware
- Flush-mounted locking system accepts padlock
- 5 year limited warranty

**SPECIFICATIONS ON PAGE 30**



### Mounting Frame Inside

|           | Width  | Depth  |
|-----------|--------|--------|
| SBBC-22AL | 20.19" | 14.16" |
| SBBC-30AL | 27.19" | 14.16" |
| SBBC-45AL | 42.19" | 14.16" |
| SBBC-52AL | 49.19" | 14.16" |
| SBBC-60AL | 57.19" | 14.16" |

## Clamshell Entry Two Piece Enclosure

|              | "A" Width | Height | Depth |
|--------------|-----------|--------|-------|
| SBBC-60AL*   | 60"       | 30"    | 16"   |
| SBBC-40ALHP* | 40"       | 39"    | 24"   |
| SBBC-60ALHP  | 60"       | 39"    | 24"   |
| SBBC-75ALHP  | 75"       | 39"    | 24"   |
| SBBC-90ALHP  | 90"       | 39"    | 24"   |

Note: For inside dimensions, see Backflow Cover Sizing Chart on pages 28-29.


\*Asterisked parts do not have punched holes



|              | "A" Width | Height | Depth |
|--------------|-----------|--------|-------|
| PE-40AL*     | 40"       | 39"    | 38"   |
| PE-60AL*     | 60"       | 39"    | 38"   |
| SBBC-40WALHP | 40"       | 39"    | 28"   |

- Marine grade aluminum
- Stainless steel hardware
- Latch rod locking system accepts padlock
- 5 year limited warranty

**SPECIFICATIONS ON PAGE 31**



**Apollo**
**4A-200 Series**

|        | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum      | Smooth         | Expanded |
|--------|--------|-----------|------|-----------|-------------|--------------|-----------|----------------|----------|
| 3/4"   | 12.75  | 20.00     | 3.00 | 5.00      | 4.00        | 21.75        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1"     | 14.75  | 20.00     | 3.00 | 5.00      | 5.00        | 24.75        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1 1/4" | 18.75  | 22.00     | 3.00 | 5.00      | 5.50        | 29.25        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |
| 1 1/2" | 18.75  | 22.00     | 3.00 | 5.00      | 6.00        | 29.75        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |
| 2"     | 20.25  | 23.00     | 3.00 | 5.00      | 7.50        | 32.75        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |

**FEBCO**
**825Y & LF860**

|        | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum      | Smooth         | Expanded |
|--------|--------|-----------|------|-----------|-------------|--------------|-----------|----------------|----------|
| 3/4"   | 12.00  | 19.00     | 3.00 | 5.00      | 4.00        | 21.00        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1"     | 12.75  | 20.00     | 3.00 | 5.00      | 5.00        | 22.75        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1 1/4" | 16.00  | 22.00     | 3.00 | 5.00      | 5.50        | 26.50        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1 1/2" | 17.00  | 22.00     | 3.00 | 5.00      | 6.00        | 28.00        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |
| 2"     | 17.75  | 22.00     | 3.00 | 5.00      | 7.50        | 30.25        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |

**LF860**

|        | Length | Installed | Nip | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |
|--------|--------|-----------|-----|-----------|-------------|--------------|-------------|----------------|----------|
| 2 1/2" | 40.75  | 38.50     | N/A | N/A       | 17.00       | 57.75        | SBBC-75ALHP | SBBC-75SS & CR | BC-75CR  |
| 3"     | 42.00  | 44.25     | N/A | N/A       | 18.50       | 60.50        | N/A         | N/A            | N/A      |
| 4"     | 46.25  | 46.50     | N/A | N/A       | 22.00       | 68.25        | N/A         | N/A            | N/A      |
| 6"     | 56.00  | 53.25     | N/A | N/A       | 27.00       | 83.00        | N/A         | N/A            | N/A      |

**825YA**

|        | Length | Installed | Nip | Nip Total | Elbow Total | Total Inches | Alum      | Smooth         | Expanded |
|--------|--------|-----------|-----|-----------|-------------|--------------|-----------|----------------|----------|
| 3/4"   | 10.00  | 17.00     | N/A | N/A       | N/A         | 10.00        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |
| 1"     | 10.25  | 18.00     | N/A | N/A       | N/A         | 10.25        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |
| 1 1/2" | 14.25  | 19.00     | N/A | N/A       | N/A         | 14.25        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |
| 2"     | 15.00  | 20.00     | N/A | N/A       | N/A         | 15.00        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |

**LF880V**

|        | Length | Installed | Nip | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |
|--------|--------|-----------|-----|-----------|-------------|--------------|-------------|----------------|----------|
| 2 1/2" | 25.50  | 32.00     | N/A | N/A       | N/A         | 25.50        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |
| 3"     | 25.75  | 32.00     | N/A | N/A       | N/A         | 25.75        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |
| 4"     | 28.00  | 36.00     | N/A | N/A       | N/A         | 28.00        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |
| 6"     | 32.25  | 39.00     | N/A | N/A       | N/A         | 32.25        | N/A         | N/A            | N/A      |

**Watts**
**U009AQT M2AQT**

|        | Length | Installed | Nip | Nip Total | Elbow Total | Total Inches | Alum      | Smooth         | Expanded |
|--------|--------|-----------|-----|-----------|-------------|--------------|-----------|----------------|----------|
| 3/4"   | 16.25  | 22.00     | N/A | N/A       | N/A         | 16.25        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |
| 1"     | 17.50  | 23.00     | N/A | N/A       | N/A         | 17.25        | SBBC-22AL | SBBC-22SS & CR | BC-30CR  |
| 1 1/2" | 20.50  | 24.00     | N/A | N/A       | N/A         | 20.50        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 2"     | 25.50  | 24.00     | N/A | N/A       | N/A         | 25.50        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |

**U009QT M2QT**

|        | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum      | Smooth         | Expanded |
|--------|--------|-----------|------|-----------|-------------|--------------|-----------|----------------|----------|
| 3/4"   | 13.75  | 22.00     | 3.00 | 5.00      | 4.00        | 23.00        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1"     | 17.50  | 23.00     | 3.00 | 5.00      | 5.00        | 27.50        | SBBC-30AL | SBBC-30SS & CR | BC-30CR  |
| 1 1/4" | 24.50  | 24.00     | 3.00 | 5.00      | 5.50        | 35.00        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |
| 1 1/2" | 25.50  | 24.00     | 3.00 | 5.00      | 6.00        | 36.50        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |
| 2"     | 27.50  | 24.00     | 3.00 | 5.00      | 7.50        | 40.00        | SBBC-45AL | SBBC-45SS & CR | BC-45CR  |

**909RPDA**

|        | Length | Installed | Nip | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |
|--------|--------|-----------|-----|-----------|-------------|--------------|-------------|----------------|----------|
| 2 1/2" | 42.25  | 34.00     | N/A | N/A       | 17.00       | 59.25        | SBBC-75ALHP | SBBC-75SS & CR | BC-75CR  |
| 3"     | 42.25  | 37.00     | N/A | N/A       | 18.50       | 60.75        | SBBC-75ALHP | SBBC-75SS & CR | BC-75CR  |
| 4"     | 55.25  | 41.00     | N/A | N/A       | 22.00       | 77.25        | N/A         | N/A            | BC-75CR  |
| 6"     | 66.00  | 49.00     | N/A | N/A       | 27.00       | 93.00        | N/A         | N/A            | N/A      |
| 2 1/2" | 33.00  | 34.00     | N/A | N/A       | N/A         | 34.00        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |
| 3"     | 34.00  | 36.00     | N/A | N/A       | N/A         | 36.00        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |
| 4"     | 42.00  | 36.00     | N/A | N/A       | N/A         | 36.00        | N/A         | N/A            | N/A      |
| 6"     | 48.00  | 38.00     | N/A | N/A       | N/A         | 38.00        | N/A         | N/A            | N/A      |

**Wilkins**

| <b>375</b> |        | XL/VSR    |      |           |             |              |             |                |          |  |
|------------|--------|-----------|------|-----------|-------------|--------------|-------------|----------------|----------|--|
|            | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |  |
| 3/4"       | 12.75  | 20.00     | 3.00 | 5.00      | 4.00        | 21.75        | SBBC-30AL   | SBBC-30SS & CR | BC-30CR  |  |
| 1"         | 15.75  | 20.50     | 3.00 | 5.00      | 5.00        | 25.75        | SBBC-30AL   | SBBC-30SS & CR | BC-30CR  |  |
| 1 1/4"     | 20.50  | 22.00     | 3.00 | 5.00      | 5.50        | 31.00        | SBBC-45AL   | SBBC-45SS & CR | BC-45CR  |  |
| 1 1/2"     | 21.75  | 23.00     | 3.00 | 5.00      | 6.00        | 32.75        | SBBC-45AL   | SBBC-45SS & CR | BC-45CR  |  |
| 2"         | 24.25  | 25.00     | 3.00 | 5.00      | 7.50        | 36.75        | SBBC-45AL   | SBBC-45SS & CR | BC-45CR  |  |
| 2 1/2"     | 31.00  | 33.00     | N/A  | N/A       | 17.00       | 48.00        | SBBC-60ALHP | SBBC-75SS & CR | BC-75CR  |  |
| 3"         | 32.00  | 34.00     | N/A  | N/A       | 18.50       | 50.50        | SBBC-60ALHP | SBBC-75SS & CR | BC-75CR  |  |
| 4"         | 38.00  | 38.00     | N/A  | N/A       | 22.00       | 60.00        | SBBC-75ALHP | SBBC-75SS & CR | BC-75CR  |  |
| 6"         | 45.00  | 44.00     | N/A  | N/A       | 27.00       | 72.00        | N/A         | N/A            | N/A      |  |
| <b>975</b> |        | XL/XL2V   |      |           |             |              |             |                |          |  |
|            | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |  |
| 3/4"       | 15.00  | 22.00     | 3.00 | 5.00      | 4.00        | 24.00        | SBBC-30AL   | SBBC-30SS & CR | BC-30CR  |  |
| 1"         | 16.00  | 23.00     | 3.00 | 5.00      | 5.00        | 26.00        | SBBC-30AL   | SBBC-30SS & CR | BC-30CR  |  |
| 1 1/4"     | 17.00  | 24.00     | 3.00 | 5.00      | 5.50        | 27.50        | SBBC-30AL   | SBBC-30SS & CR | BC-30CR  |  |
| 1 1/2"     | 17.50  | 24.00     | 3.00 | 5.00      | 6.00        | 28.50        | SBBC-45AL   | SBBC-45SS & CR | BC-45CR  |  |
| 2"         | 18.50  | 24.00     | 3.00 | 5.00      | 7.50        | 31.00        | SBBC-45AL   | SBBC-45SS & CR | BC-45CR  |  |
| <b>475</b> |        | v         |      |           |             |              |             |                |          |  |
|            | Length | Installed | Nip  | Nip Total | Elbow Total | Total Inches | Alum        | Smooth         | Expanded |  |
| 2 1/2"     | 33.00  | 34.00     | N/A  | N/A       | N/A         | 34.00        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |  |
| 3"         | 34.00  | 36.00     | N/A  | N/A       | N/A         | 36.00        | SBBC-40ALHP | SBBC-40SS & CR | BC-75CR  |  |
| 4"         | 42.00  | 36.00     | N/A  | N/A       | N/A         | 36.00        | N/A         | N/A            | N/A      |  |
| 6"         | 48.00  | 38.00     | N/A  | N/A       | N/A         | 38.00        | N/A         | N/A            | N/A      |  |

**StrongBox Backflow Enclosure Inside Dimensions**

|              | Weight (lbs) | Length (in) | Width (in) | Height (in) |
|--------------|--------------|-------------|------------|-------------|
| SBBC-22SS/CR | 43           | 20          | 14         | 27          |
| SBBC-30SS/CR | 53           | 27          | 14         | 27          |
| SBBC-45SS/CR | 61           | 42          | 14         | 27          |
| SBBC-20SS    | 53           | 18          | 14         | 48.5        |
| SBBC-40SS/CR | 80           | 38          | 23         | 37.5        |
| SBBC-60SS/CR | 111          | 57          | 23         | 37.5        |
| SBBC-75SS/CR | 150          | 72          | 23         | 37.5        |
| SBBC-22AL    | 43           | 19          | 14         | 27.5        |
| SBBC-30AL    | 51           | 27          | 14         | 27.5        |
| SBBC-45AL    | 67           | 42          | 14         | 27.5        |
| SBBC-52AL    | 71           | 49          | 14         | 27.5        |
| SBBC-60AL    | 82           | 57          | 14         | 27.5        |
| SBBC-40ALHP  | 88           | 38          | 21.5       | 37.5        |
| SBBC-60ALHP  | 118          | 58          | 21.5       | 37.5        |
| SBBC-75ALHP  | 128          | 73          | 21.5       | 37.5        |
| SBBC-90ALHP  | 158          | 88          | 21.5       | 37.5        |
| BC-30CR      | 45           | 27          | 9          | 25          |
| BC-45CR      | 73           | 42          | 15         | 31          |
| BC-75CR      | 160          | 72          | 27         | 43          |