

DSP Dual Service Pedestal

- 26" Wide, 50" High, 17.25" Deep
- Double door design with lift-up top section
- Hinged viewing window for easy programming
- All access points include padlock provisions
- Caltrans Type III-CF compliant
- EUSERC 308A Compliant
- NEMA TYPE 3R Rated UL 508A Listed
- Metered and Unmetered Available
- Anchor bolts included
- 5 Year Limited Warranty

METER SECTION

- Meter Socket: 4 Jaw, 100 Amp
- 120 or 240v models available
- Meter Socket with Test Blocks
- Utility Landing Lugs: 200 Amps

CUSTOMER SECTION

- 11" x 14" customer usable area
- 100 amp load centers with up to 16 circuits (per meter)



SPECIFICATIONS ON PAGE 49

DSP Standard Model Numbers

Model No	Main Amps	Voltage	Phase	Jaw	Wires	AIC Rating	Breaker Positions
DSP-11008-10	100A 100A	120/240	1	4	3	10,000	8 8
DSP-11008-22	100A 100A	120/240	1	4	3	22,000	8 8
DSP-11008-65	100A 100A	120/240	1	4	3	65,000	8 8
DSP-11016-10	100A 100A	120/240	1	4	3	10,000	16 16
DSP-11016-22	100A 100A	120/240	1	4	3	22,000	16 16
DSP-11016-65	100A 100A	120/240	1	4	3	65,000	16 16

T-Fuse available on select models. No-distribution options available upon request.

SERIES: MPS 1 PHASE	OPTIONS AVAILABLE		
	AMPERAGE	LOAD CENTER	
	100A	8 POSITION 16 POSITION 26 POSITION	
	125A		
	150A		
	175A		
200A			
AIC RATING			
10,000	22,000	65,000	

Load center with no distribution also available. Contact factory for details about all non-standard configurations.

SERIES: MPS 3 PHASE	OPTIONS AVAILABLE		
	AMPERAGE	LOAD CENTER	
	100A	18 POSITION 24 POSITION	
	125A		
	150A		
	175A		
200A			
AIC RATING			
10,000	22,000	65,000	

Load center with no distribution also available. Contact factory for details about all non-standard configurations.

SERIES: CSP 1 PHASE	OPTIONS AVAILABLE		
	AMPERAGE	LOAD CENTER	
	100A	8 POSITION 16 POSITION	
	125A		
	150A		
	175A		
200A			
AIC RATING			
10,000	22,000	65,000	

Load center with no distribution also available. Contact factory for details about all non-standard configurations.

SERIES: DSP 1 PHASE	OPTIONS AVAILABLE		
	AMPERAGE	LOAD CENTER	
	100A	8 POSITION 16 POSITION	
	AIC RATING		
	10,000	22,000	65,000

Load center with no distribution also available. Contact factory for details about all non-standard configurations.