



## StrongBox Enclosure Price List

Effective January 1, 2026

NOTE: Prices include mounting hardware. Freight Prepaid on \$7500 net orders to one location. (\*) CAN BE SHIPPED UPS

### HEAVY DUTY CONTROLLER ENCLOSURES

#### Stainless Steel Front Entry Enclosures

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| SB-18SS     | 19" Wide, 36" High, 12" Deep   Single Door Entry   | 75 lbs.  | \$ 3,316.00 |
| SB-18DSS    | 19" Wide, 36" High, 24" Deep   Two Door Dual Entry | 120 lbs. | \$ 4,950.00 |
| SB-1852SS   | 18" Wide, 52" High, 12" Deep   Single Door Entry   | 90 lbs.  | \$ 4,009.00 |
| SB-24SS     | 25" Wide, 36" High, 12" Deep   Single Door Entry   | 95 lbs.  | \$ 3,821.00 |
| SB-24DSS    | 25" Wide, 36" High, 24" Deep   Two Door Dual Entry | 145 lbs. | \$ 5,858.00 |
| SB-36SS     | 37" Wide, 36" High, 12" Deep   Two Door Entry      | 138 lbs. | \$ 5,229.00 |

#### Stainless Steel Wall Mount Enclosures

| Part Number | Description                                | Weight   | List Price  |
|-------------|--|----------|-------------|
| SB-16SSW    | 16" Wide, 18" High, 11" Deep   Single Door | 35 lbs.* | \$ 2,495.00 |
| SB-18SSW    | 19" Wide, 36" High, 12" Deep   Single Door | 75 lbs.  | \$ 3,316.00 |
| SB-24SSW    | 25" Wide, 36" High, 12" Deep   Single Door | 95 lbs.  | \$ 3,821.00 |
| SB-36SSW    | 37" Wide, 36" High, 12" Deep   Two Door    | 138 lbs. | \$ 5,229.00 |

#### Stainless Steel Top Entry Enclosures

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| SB-16SS     | 16" Wide, 38" High, 17" Deep   Hinged Flip Top Entry | 80 lbs.  | \$ 3,964.00 |
| SB-22SS     | 25" Wide, 38" High, 19" Deep   Hinged Flip Top Entry | 125 lbs. | \$ 5,068.00 |

### LIGHT DUTY CABINETS

#### Stainless Steel Cabinet

| Part Number | Description   | Weight    | List Price  |
|-------------|---|-----------|-------------|
| LD-16S      | 17" Wide, 30" High, 8" Deep   Single Drop in Door   | 43 lbs. * | \$ 1,683.00 |
| LD-16T      | 17" Wide, 19" High, 9" Deep   Single Door Top Mount | 25 lbs.*  | \$ 1,586.00 |

#### Stainless Steel Wall Mount Cabinets

| Part Number | Description                               | Weight    | List Price  |
|-------------|---|-----------|-------------|
| LD-16SW     | 17" Wide, 30" High, 8" Deep   Single Door | 48 lbs. * | \$ 1,683.00 |
| LD-18SW     | 19" Wide, 19" High, 8" Deep   Single Door | 31 lbs. * | \$ 1,587.00 |

**CONTROL ENCLOSURE ACCESSORIES**
**Controller Add-Ons**

| Part Number | Description  | Weight   | List Price |
|-------------|--|----------|------------|
| CSA         | Controller Subassembly - 36 Stations   | 5 lbs. * | \$ 517.00  |
| CSA-52      | Controller Subassembly - 52 Stations   | 6 lbs. * | \$ 554.00  |
| OPT-FAN     | Thermostatically Controlled Fan<br>Easily installed and can be adjusted in the field to help maintain desired temperature. | 4 lbs. * | \$ 448.00  |
| RGVRSS      | Rain Switch Enclosure<br>Designed to protect WCS and Mini-Click Rain Switches from vandalism.                              | 2 lbs. * | \$ 257.00  |
| RGVRSS-P    | Pole Mount Rain Switch Enclosure   | 7 lbs. * | \$ 289.00  |
| SRSE        | Solar Sync Enclosure   | 1 lb. *  | \$ 223.00  |

**Stainless Steel Pedestal Riser**

| Part Number   | Description  | Weight  | List Price  |
|---------------|--|---------|-------------|
| PED-16SS      | 16" Wide, 12" High, 15" Deep   Used for SB-16SS      | 20 lbs. | \$ 966.00   |
| PED-18SS      | 19" Wide, 12" High, 10" Deep   Used for SB-18SS      | 18 lbs. | \$ 927.00   |
| PED-18DSS     | 19" Wide, 12" High, 19" Deep   Used for SB-18DSS     | 23 lbs. | \$ 1,377.00 |
| PED-24SS      | 25" Wide, 12" High, 10" Deep   Used for SB-24SS      | 22 lbs. | \$ 1,082.00 |
| PED-24SS-240V | 25" Wide, 12" High, 24" Deep   Used for SB-24SS-240V | 22 lbs. | \$ 1,446.00 |
| PED-24DSS     | 25" Wide, 12" High, 19" Deep   Used for SB-24DSS     | 26 lbs. | \$ 1,446.00 |
| PED-36SS      | 37" Wide, 12" High, 10" Deep   Used for SB-36SS      | 33 lbs. | \$ 1,370.00 |
| PED-16SSW     | 16" Wide, 4" High, 8" Deep   Used for SB-16SSW       | 6 lbs.  | \$ 650.00   |
| PED-LD16      | 17" Wide, 12" High, 8" Deep   Used for LD-16S        | 18 lbs. | \$ 730.00   |
| PT-TEMP1852   | 18" Wide, 9" Deep                                    | 2 lbs.  | \$ 95.00    |

**Enclosure Backboards & Trays**

| Part Number | Description                               | Weight  | List Price |
|-------------|---|---------|------------|
| BB-18SS     | For SB-18SS   SB-18SSW Enclosures         | 10 lbs. | \$ 190.00  |
| BB-1852SS   | For SB-1852SS Front Entry Enclosure       | 12 lbs. | \$ 320.00  |
| BB-24SS     | For SB-24SS Front Entry Enclosure         | 12 lbs. | \$ 206.00  |
| BB-18SS(x2) | For SB-36SS   SB-36SSW Enclosures         | 20 lbs. | \$ 380.00  |
| BB-16SS     | For SB-16SSW Wall Mount Enclosure         | 6 lbs.  | \$ 160.00  |
| BB-22SS     | For SB-22SS   SB-22SSW Enclosures         | 14 lbs. | \$ 202.00  |
| BB-16SSW    | For SB-16-SSW Wall Mount Enclosure        | 4 lbs.  | \$ 150.00  |
| BB-16LD     | For LD-16S Light Duty Cabinet             | 7 lbs.  | \$ 160.00  |
| BB-18LD     | For LD-18SW Wall Mount Light Duty Cabinet | 5 lbs.  | \$ 150.00  |
| BB-16TLD    | For LD-16T Wall Mount Light Duty Cabinet  | 5 lbs.  | \$ 108.00  |
| PT-TRAY16-U | Tray for SB-16SS                          | 3 lbs.  | \$ 154.00  |
| PT-22TRAY   | Tray for SB-22SS                          | 7 lbs.  | \$ 197.00  |

**ALUMINUM BACKFLOW ENCLOSURES**
**Aluminum Front Entry Backflow Enclosures**

| Part Number | Description                                | Weight  | List Price  |
|-------------|--|---------|-------------|
| SBBC-22AL   | 23" Wide, 30" High, 15" Deep   Single Door | 43 lbs. | \$ 1,618.00 |
| SBBC-30AL   | 30" Wide, 30" High, 15" Deep   Single Door | 49 lbs. | \$ 1,871.00 |
| SBBC-45AL   | 45" Wide, 30" High, 15" Deep   Single Door | 62 lbs. | \$ 2,308.00 |
| SBBC-52AL   | 52" Wide, 31" High, 22" Deep   Single Door | 73 lbs. | \$ 4,098.00 |
|             | 3/4" through 2" Backflow Devices           |         |             |

**Aluminum Clamshell Entry Backflow Enclosures**

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| SBBC-60AL   | 60" Wide, 31" High, 15" Deep   Clamshell Two Piece | 82 lbs.  | \$ 3,346.00 |
| SBBC-40ALHP | 41" Wide, 39" High, 24" Deep   Clamshell Two Piece | 88 lbs.  | \$ 4,734.00 |
| SBBC-60ALHP | 61" Wide, 39" High, 24" Deep   Clamshell Two Piece | 118 lbs. | \$ 5,267.00 |
| SBBC-75ALHP | 76" Wide, 39" High, 24" Deep   Clamshell Two Piece | 128 lbs. | \$ 5,614.00 |
| SBBC-90ALHP | 91" Wide, 39" High, 24" Deep   Clamshell Two Piece | 158 lbs. | \$ 6,502.00 |
|             | 2-1/2" through 6" Backflow Devices                 |          |             |

**Insulated Aluminum Front Entry Backflow Enclosures**

| Part Number | Description  | Weight  | List Price  |
|-------------|--|---------|-------------|
| SBBC-22ALI  | 23" Wide, 30" High, 15" Deep   Insulated Single Door | 44 lbs. | \$ 2,032.00 |
| SBBC-30ALI  | 30" Wide, 30" High, 15" Deep   Insulated Single Door | 50 lbs. | \$ 2,516.00 |
| SBBC-45ALI  | 45" Wide, 30" High, 15" Deep   Insulated Single Door | 63 lbs. | \$ 3,177.00 |
|             | 3/4" through 2" Backflow Devices                     |         |             |

**Insulated Aluminum Clamshell Entry Backflow Enclosures**

| Part Number  | Description  | Weight   | List Price  |
|--------------|--|----------|-------------|
| SBBC-60ALI   | 60" Wide, 31" High, 15" Deep   Insulated Clamshell Two Piece | 88 lbs.  | \$ 4,271.00 |
| SBBC-40ALHPI | 41" Wide, 39" High, 24" Deep   Insulated Clamshell Two Piece | 90 lbs.  | \$ 5,767.00 |
| SBBC-60ALHPI | 61" Wide, 39" High, 24" Deep   Insulated Clamshell Two Piece | 124 lbs. | \$ 6,407.00 |
| SBBC-75ALHPI | 76" Wide, 39" High, 24" Deep   Insulated Clamshell Two Piece | 136 lbs. | \$ 6,804.00 |
| SBBC-90ALHPI | 91" Wide, 39" High, 24" Deep   Insulated Clamshell Two Piece | 166 lbs. | \$ 7,090.00 |
|              | 2-1/2" through 6" Backflow Devices                           |          |             |

**ALUMINUM PUMP ENCLOSURES**
**Aluminum Pump Enclosures**

| Part Number  | Description  | Weight   | List Price  |
|--------------|--|----------|-------------|
| SBBC-40WALHP | 41" Wide, 39" High, 28" Deep (extra wide SBBC-40ALHP for Specialty Applications) | 95 lbs.  | \$ 4,688.00 |
| PE-40AL      | 41" Wide, 39" High, 38" Deep   Clamshell Two Piece                               | 98 lbs.  | \$ 4,839.00 |
| PE-60AL      | 61" Wide, 39" High, 38" Deep   Clamshell Two Piece                               | 128 lbs. | \$ 5,614.00 |

**SMOOTH TOUCH BACKFLOW CAGES**
**Stainless Steel - Front Entry**

| Part Number | Description                                | Weight  | List Price  |
|-------------|--|---------|-------------|
| SBBC-22SS   | 23" Wide, 28" High, 18" Deep   Single Door | 44 lbs. | \$ 2,620.00 |
| SBBC-30SS   | 30" Wide, 28" High, 18" Deep   Single Door | 53 lbs. | \$ 3,025.00 |
| SBBC-45SS   | 45" Wide, 28" High, 18" Deep   Single Door | 61 lbs. | \$ 3,891.00 |
| SBBC-20SS   | 21" Wide, 49" High, 18" Deep   Single Door | 62 lbs. | \$ 3,888.00 |
|             | 3/4" through 2" Backflow Devices           |         |             |

**Stainless Steel - Clamshell Entry**

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| SBBC-40SS   | 45" Wide, 39" High, 26" Deep   Clamshell Two Piece | 90 lbs.  | \$ 5,978.00 |
| SBBC-60SS   | 61" Wide, 39" High, 26" Deep   Clamshell Two Piece | 111 lbs. | \$ 7,042.00 |
| SBBC-75SS   | 78" Wide, 39" High, 26" Deep   Clamshell Two Piece | 120 lbs. | \$ 8,272.00 |
|             | 2½" through 4" Backflow Devices                    |          |             |

**Powder Coated Cold Rolled Steel - Front Entry**

| Part Number | Description                                | Weight  | List Price  |
|-------------|--|---------|-------------|
| SBBC-22CR   | 23" Wide, 28" High, 18" Deep   Single Door | 44 lbs. | \$ 1,591.00 |
| SBBC-30CR   | 30" Wide, 28" High, 18" Deep   Single Door | 53 lbs. | \$ 1,801.00 |
| SBBC-45CR   | 45" Wide, 28" High, 18" Deep   Single Door | 61 lbs. | \$ 2,352.00 |
|             | 3/4" through 2" Backflow Devices           |         |             |

**Powder Coated Cold Rolled Steel - Clamshell Entry**

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| SBBC-40CR   | 45" Wide, 39" High, 26" Deep   Clamshell Two Piece | 90 lbs.  | \$ 3,861.00 |
| SBBC-60CR   | 61" Wide, 39" High, 26" Deep   Clamshell Two Piece | 111 lbs. | \$ 4,770.00 |
| SBBC-75CR   | 78" Wide, 39" High, 26" Deep   Clamshell Two Piece | 120 lbs. | \$ 5,534.00 |
|             | 2½" through 4" Backflow Devices                    |          |             |

**EXPANDED METAL BACKFLOW CAGES**
**Powder Coated Front Entry**

| Part Number | Description                              | Weight  | List Price  |
|-------------|--|---------|-------------|
| BC-30CR     | 30" Wide, 24" High, 12" Deep   One Piece | 45 lbs. | \$ 1,476.00 |
| BC-45CR     | 45" Wide, 30" High, 18" Deep   One Piece | 73 lbs. | \$ 1,819.00 |

**Powder Coated Clamshell**

| Part Number | Description  | Weight   | List Price  |
|-------------|--|----------|-------------|
| BC-75CR     | 75" Wide, 42" High, 30" Deep   Clamshell Two Piece | 160 lbs. | \$ 3,040.00 |

**GUARDIAN CAGES**
**Powder Coated Cold Rolled Steel - Front Entry**

| Part Number | Description                                | Weight  | List Price  |
|-------------|--|---------|-------------|
| GC-24       | 24" Wide, 26" High, 13" Deep   Single Door | 35 lbs. | \$ 1,026.00 |
| GC-30       | 30" Wide, 26" High, 13" Deep   Single Door | 37 lbs. | \$ 1,164.00 |
| GC-36       | 36" Wide, 26" High, 13" Deep   Single Door | 40 lbs. | \$ 1,254.00 |

**POLAR BEARIER SLIP-ON INSULATING COVER**

| Part Number | Description   | Weight   | List Price  |
|-------------|---|----------|-------------|
| PBB-22      | 22" Wide, 24" High, 6" Deep   Used for 22 inch Backflow | 1.2 lbs. | \$ 393.00   |
| PBB-30      | 28" Wide, 24" High, 6" Deep   Used for 28 inch Backflow | 2.0 lbs. | \$ 498.00   |
| PBB-45      | 46" Wide, 24" High, 6" Deep   Used for 46 inch Backflow | 3.5 lbs. | \$ 674.00   |
| PBB-60      | 56" Wide, 24" High, 6" Deep   Used for 56 inch Backflow | 4.5 lbs. | \$ 717.00   |
| PBB-20HP    | 24" Wide, 46" High, 6" Deep   used for 24 inch Backflow | 3.5 lbs. | \$ 674.00   |
| PBB-40HP    | 40" Wide, 36" High, 6" Deep   Used for 40 inch Backflow | 4.5 lbs. | \$ 834.00   |
| PBB-60HP    | 60" Wide, 36" High, 6" Deep   Used for 60 inch Backflow | 5.2 lbs. | \$ 984.00   |
| PBB-75HP    | 72" Wide, 36" High, 6" Deep   Used for 72 inch Backflow | 6.0 lbs. | \$ 1,195.00 |
| PBB-90HP    | 90" Wide, 36" High, 6" Deep   Used for 90 inch Backflow | 7.5 lbs. | \$ 1,330.00 |

**METER PEDESTAL (MPS/MPE)**
**Stainless Steel Service Pedestal (MPS) - 18" Wide, 52" High, 20" Deep**

| Part Number  | Description   | Weight   | List Price   |
|--------------|---|----------|--------------|
| MPS-11016-10 | 100 amp, 1 phase, 10,000 AIC, 16 positions                      | 210 lbs. | \$ 6,756.00  |
| MPS-12016-22 | 200 amp, 1 phase, 22,000 AIC, 16 positions                      | 210 lbs. | \$ 7,519.00  |
| MPS-32024-65 | 200 amp, 3 phase, 65,000 AIC, 24 positions                      | 210 lbs. | \$ 11,357.00 |
| MPS-51016-10 | 100 amp, 1 phase, 120/208 Volt, 5 Jaw, 10,000 AIC, 16 positions | 210 lbs. | \$ 6,860.00  |
| MPS-52016-10 | 200 amp, 1 phase, 120/208 Volt, 5 Jaw, 10,000 AIC, 16 positions | 210 lbs. | \$ 7,547.00  |
| MPS-BASE     | MPS mounting template 4 bolt                                    | 8 lbs.   | \$ 165.00    |

**Stainless Steel Service Pedestal with Enclosure and Base (MPE) - 18" Wide, 52" High, 32" Deep**

| Part Number  | Description                                | Weight   | List Price   |
|--------------|--|----------|--------------|
| MPE-11016-10 | 100 amp, 1 phase, 10,000 AIC, 16 positions | 310 lbs. | \$ 10,938.00 |
| MPE-12016-22 | 200 amp, 1 phase, 22,000 AIC, 16 positions | 310 lbs. | \$ 11,701.00 |
| MPE-32024-65 | 200 amp, 3 phase, 65,000 AIC, 24 positions | 310 lbs. | \$ 15,539.00 |
| MPE-BASE     | Dual Mounting Template 8 bolt              | 10 lbs.  | \$ 173.00    |

**XL SERVICE PEDESTAL (SSP)**
**Stainless Steel XL Meter Pedestal (SSP) - 26" Wide, 50" High, 17" Deep**

| Part Number  | Description                                | Weight   | List Price   |
|--------------|--|----------|--------------|
| SSP-21018-14 | 100 amp, 1 phase, 14,000 AIC, 18 positions | 140 lbs. | \$ 8,630.00  |
| SSP-22030-65 | 100 amp, 1 phase, 65,000 AIC, 30 positions | 140 lbs. | \$ 9,720.00  |
| SSP-61018-14 | 100 amp, 3 phase, 14,000 AIC, 18 positions | 140 lbs. | \$ 8,780.00  |
| SSP-61030-35 | 100 amp, 3 phase, 35,000 AIC, 30 positions | 140 lbs. | \$ 9,030.00  |
| SSP-62030-35 | 200 amp, 3 phase, 35,000 AIC, 30 positions | 140 lbs. | \$ 10,950.00 |
| CSP-C BASE   | CSP-C mounting template 4 bolt             | 10 lbs.  | \$ 196.00    |

**COMMERCIAL SERVICE PEDESTAL (CSP)**
**Stainless Steel Commercial Meter Pedestals (CSP) - 16" Wide, 48" High, 16" Deep**

| Part Number  | Description   | Weight   | List Price  |
|--------------|---|----------|-------------|
| CSP-11008-10 | 100 amp, 1 phase, 10,000 AIC, 8 positions                       | 140 lbs. | \$ 4,790.00 |
| CSP-11016-10 | 100 amp, 1 phase, 10,000 AIC, 16 positions                      | 140 lbs. | \$ 4,842.00 |
| CSP-11016-65 | 100 amp, 1 phase, 65,000 AIC, 16 positions                      | 140 lbs. | \$ 5,346.00 |
| CSP-12016-10 | 200 amp, 1 phase, 10,000 AIC, 16 positions                      | 140 lbs. | \$ 5,543.00 |
| CSP-12016-65 | 200 amp, 1 phase, 65,000 AIC, 16 positions                      | 140 lbs. | \$ 6,001.00 |
| CSP-51008-10 | 100 amp, 1 phase, 120/208 Volt, 5 Jaw, 10,000 AIC, 8 positions  | 140 lbs. | \$ 4,803.00 |
| CSP-51016-10 | 100 amp, 1 phase, 120/208 Volt, 5 Jaw, 10,000 AIC, 16 positions | 140 lbs. | \$ 4,870.00 |
| CSP-51016-65 | 100 amp, 1 phase, 120/208 Volt, 5 Jaw, 65,000 AIC, 16 positions | 140 lbs. | \$ 5,450.00 |
| CSP-52016-10 | 200 amp, 1 phase, 120/208 Volt, 5 Jaw, 10,000 AIC, 16 positions | 140 lbs. | \$ 5,623.00 |
| CSP-52016-65 | 200 amp, 1 phase, 120/208 Volt, 5 Jaw, 65,000 AIC, 16 positions | 140 lbs. | \$ 5,626.00 |
| CSP-B BASE   | CSP-B mounting template 4 bolt                                  | 8 lbs.   | \$ 166.00   |

**DUAL SERVICE PEDESTAL (DSP)**
**Stainless Steel Dual Meter Pedestals (DSP) - 26" Wide, 50" High, 17" Deep**

| Part Number  | Description                               | Weight   | List Price   |
|--------------|---|----------|--------------|
| DSP-11008-10 | 100 amp, 1 phase, 10,000 AIC, 8 positions | 140 lbs. | \$ 8,580.00  |
| DSP-11008-22 | 100 amp, 1 phase, 22,000 AIC, 8 positions | 140 lbs. | \$ 8,622.00  |
| DSP-11008-65 | 100 amp, 1 phase, 65,000 AIC, 8 positions | 140 lbs. | \$ 9,006.00  |
| DSP-12008-10 | 200 amp, 1 phase, 10,000 AIC, 8 positions | 140 lbs. | \$ 9,568.00  |
| DSP-12008-22 | 200 amp, 1 phase, 22,000 AIC, 8 positions | 140 lbs. | \$ 10,275.00 |
| DSP-12008-65 | 200 amp, 1 phase, 65,000 AIC, 8 positions | 140 lbs. | \$ 10,608.00 |
| CSP-C BASE   | CSP-C mounting template 4 bolt            | 10 lbs.  | \$ 196.00    |

**METERED ENCLOSURE (SB-24SS-240V)**
**Metered Stainless Steel Enclosures - 25" Wide, 48" High, 29 Deep**

| Part Number  | Description                                 | Weight   | List Price  |
|--------------|---|----------|-------------|
| SB-24SS-240V | 100 amp, 1 phase with 240 Volt Meter Socket | 250 lbs. | \$ 8,644.00 |
|              | Not available for use in California.        |          |             |

**NON-METERED ENCLOSURE (PWP)**
**Stainless Steel Non-Metered Enclosure (PWP) - 17" Wide, 31" High, 17" Deep**

| Part Number  | Description                                | Weight   | List Price |
|--------------|--|----------|------------|
| PWP-11016-10 | 100 amp, 1 phase, 10,000 AIC, 16 positions | 140 lbs. | \$ 3,182   |
| PWP-11016-22 | 100 amp, 1 phase, 22,000 AIC, 16 positions | 140 lbs. | \$ 4,077   |
| PWP-11016-65 | 100 amp, 1 phase, 65,000 AIC, 16 positions | 140 lbs. | \$ 3,827   |
| PWP-12016-22 | 200 amp, 1 phase, 22,000 AIC, 16 positions | 140 lbs. | \$ 4,451   |
| PWP-12016-65 | 200 amp, 1 phase, 65,000 AIC, 16 positions | 140 lbs. | \$ 4,576   |

**METER PEDESTAL ADD-ONS**
**Electrical Meter Accessories**

| Part Number    | Description   | Weight | List Price |
|----------------|---|--------|------------|
| OPT-PECELL     | Photocell with bypass switch   Used for MPS, MPE, and PWP | N/A    | \$ 200.00  |
| OPT-PECELL-CSP | Photocell with bypass switch   Used for CSP, DSP, and SSP | N/A    | \$ 200.00  |
| SE-A10081      | Time Clock - 30 amp, 1 channel                            | N/A    | \$ 428.00  |
| SE-A10082      | Time Clock - 30 amp, 2 channel                            | N/A    | \$ 520.00  |
| SE-A10083      | Time Clock - 30 amp, 4 channel                            | N/A    | \$ 725.00  |
| SE-E21001      | Contactor - 30 amp, 120 volt, 3 poles                     | N/A    | \$ 253.00  |
| SE-E21003      | Contactor - 60 amp, 120 volt, 3 poles                     | N/A    | \$ 580.00  |
| SE-E21002      | Contactor - 30 amp, 120 volt, 4 poles                     | N/A    | \$ 267.00  |
| SE-E21007      | Contactor - 30 amp, 120 volt, 6 poles                     | N/A    | \$ 518.00  |
| SE-E21008      | Contactor - 30 amp, 120 volt, 8 poles                     | N/A    | \$ 645.00  |
| SE-E21009      | Contactor - 30 amp, 120 volt, 10 poles                    | N/A    | \$ 773.00  |
| SE-E210010     | Contactor - 30 amp, 120 volt, 12 poles                    | N/A    | \$ 684.00  |

**QUICK-PAD®**
**QuickPad for StrongBox Enclosures**

| Part Number | Description                                      | Weight  | List Price |
|-------------|--|---------|------------|
| QP-16       | 36" Wide, 16" High, 22" Deep   Used for SB-16SS  | 37 lbs. | \$ 823.00  |
| QP-18       | 36" Wide, 16" High, 22" Deep   Used for SB-18SS  | 37 lbs. | \$ 823.00  |
| QP-18D      | 36" Wide, 16" High, 29" Deep   Used for SB-18DSS | 42 lbs. | \$ 973.00  |
| QP-22       | 36" Wide, 16" High, 29" Deep   Used for SB-22SS  | 42 lbs. | \$ 973.00  |
| QP-24       | 36" Wide, 16" High, 22" Deep   Used for SB-24SS  | 37 lbs. | \$ 823.00  |
| QP-24D      | 36" Wide, 16" High, 29" Deep   Used for SB-24DSS | 42 lbs. | \$ 973.00  |
| QP-LD16     | 21" Wide, 16" High, 17" Deep   Used for LD-16S   | 17 lbs. | \$ 615.00  |

**QuickPad for StrongBox Pedestals**

| Part Number | Description   | Weight  | List Price  |
|-------------|---|---------|-------------|
| QP-M        | 35" Wide, 15" High, 30" Deep   Used for 24/240V pedestal  | 42 lbs. | \$ 973.00   |
| QP-CSP      | 38" Wide, 18" High, 25" Deep   Used for CSP, PWP pedestal | 37 lbs. | \$ 823.00   |
| QP-MPS      | 38" Wide, 18" High, 25" Deep   Used for MPS pedestal      | 51 lbs. | \$ 973.00   |
| QP-MPE      | 38" Wide, 18" High, 25" Deep   Used for MPE pedestal      | 51 lbs. | \$ 1,068.00 |

**QuickPad for StrongBox Backflow Enclosures**

| Part Number | Description  | Weight  | List Price |
|-------------|--|---------|------------|
| QP-20BF     | 36" Wide, 16" High, 22" Deep   Used for SBBC-20        | 37 lbs. | \$ 823.00  |
| QP-22BF     | 36" Wide, 16" High, 22" Deep   Used for SBBC-22 series | 37 lbs. | \$ 823.00  |
| QP-30BF     | 36" Wide, 16" High, 22" Deep   Used for SBBC-30 series | 37 lbs. | \$ 823.00  |
| QP-45BF     | 53" Wide, 16" High, 22" Deep   Used for SBBC-45 series | 42 lbs. | \$ 892.00  |

## PIPE STABILIZER

Pipe Stabilizers are used between the sprinkler heads to control the movement of the pipe. The vinyl covered double "J" secures pipe to ground. The verticle striking area provides good penetration of even the toughest soils and minimizes the above ground exposure. Since the hammer does not touch the rounded area of the "J" hook, damage is avoided.

| Part Number | Description         | Bundle Qty. | Order Qty. | Box Weight | List Price(ea) |
|-------------|---------------------|-------------|------------|------------|----------------|
| PS 18       | 18" Pipe Stabilizer | 5           | 30         | 46 lbs.    | \$ 11.00       |

## SPRINKLER STABILIZER

Sprinkler Stabilizers are used to secure pipe and sprinkler heads to prevent movement, vandalism and damage. The vinyl covered double "J" secures the pipe to the ground and the steel shaft at the top gives the sprinkler head additional support. Allows good penetration even in tough soils. No more broken pipes from hammers slipping off rounded striking areas.

| Part Number | Description              | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|--------------------------|-------------|------------|------------|-----------|
| SS 24       | 24" Sprinkler Stabilizer | 5           | 20         | 35 lbs.    | \$ 13.10  |

## SPRINKLER TIES

Sprinkler Ties are used to secure the sprinkler to the Spinkler Stabilizer. The unique design allows fast installation and produces a strong bond between the stake and the sprinkler head.

| Part Number | Description                 | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|-----------------------------|-------------|------------|------------|-----------|
| ST 9        | 9" Sprinkler Tie for Shrubs | 50          | 500        | 13 lbs.    | \$ 1.20   |

## RATCHET TOOL

Ratchet Tool is used to install Sprinkler Ties. It twists the Sprinkler Tie tightly against the stake, which reduces labor by 50% or more.

| Part Number | Description                     | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|---------------------------------|-------------|------------|------------|-----------|
| RT          | Sprinkler Tie Installation Tool | 1           | 1          | 1 lb.      | \$ 114.00 |

## CINCH-TIE™

Cinch-Tie™ is used to effectively single or double stake a tree. Made from strong, flexible vinyl with UV inhibitors.

| Part Number | Description                               | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|---|-------------|------------|------------|-----------|
| CT 24       | 24" long for staking of 5-15 gallon trees | 100         | 500        | 38 lbs.    | \$ 1.30   |
| CT 32       | 34" long, for staking of 24" box tree     | 100         | 500        | 50 lbs.    | \$ 1.70   |

## TWIST-BRACE™

Twist-Brace™ is used in high wind conditions. The steel loop is covered with quality vinyl tubing. Reusable, fast and easy to install.

| Part Number | Description  | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|--|-------------|------------|------------|-----------|
| TB 24       | 24" long, for staking 5-15 gallon to 24" box trees | 5           | 25         | 35 lbs.    | \$ 13.90  |
| TB 36       | 36" long, for staking 24" - 36" box trees          | 5           | 10         | 26 lbs.    | \$ 27.90  |

## HOSE & WIRE

Hose & Wire is made from quality hose and 12 gauge galvanized wire, precut in 27", 36" or 48" lengths. Convenient and economical to use.

| Part Number | Description                         | Bundle Qty. | Order Qty. | Box Weight | Price(ea) |
|-------------|-------------------------------------|-------------|------------|------------|-----------|
| HW 36       | 36" long, for staking 24" box trees | 100         | 200        | 65 lbs.    | \$ 1.40   |